


AMENDMENTS TO THE CLAIMS

1. (Currently amended) A selective herbicidal composition comprising, in addition to customary inert formulation assistants, as the active ingredient a mixture of

a) a herbicidally effective amount of a compound of formula I



(I)

or salts or diastereoisomers thereof, wherein:

R₁ and R₃ independently of one another are C₁-C₄-alkyl, C₂-C₄-alkynyl, C₁-C₄-halogenalkyl, C₁-C₆-alkoxy, or C₁-C₂-halogenalkoxy, with the proviso that R₁ and R₃ are not simultaneously methyl;

G is hydrogen, -C(O)-R₃₀ or C(O)-O-R₃₁;

R₃₀ and R₃₁ independently of one another, are hydrogen, C₁-C₁₀-alkyl; and

b) a herbicidally synergistic amount of at least one herbicide selected from clodinafop-p-propargyl, ~~fenoxaprop-ethyl~~ fenoxaprop-P-ethyl, tralkoxydim, triasulfuron, amidosulfuron, tribenuron, idosulfuron, thifensulfuron-methyl, metsulfuron, flupyrsulfuron, sulfosulfuron, mecoprop, fluroxypyr, MCPA, 2,4-D ester, 2,4-D amine, triallate, prosulfocarb, dicamba, diflufenican, picolinafen, pendimethalin, trifluralin, bromoxynil, ioxynil, flucarbazone, florasulam, propoxycarbazone, and metosulam.

2. (Previously Presented) Composition according to claim 1, which contains, to antagonise the herbicide, an antidotally effective amount of a safener selected from cloquintocet, an alkali, alkaline earth, sulfonium or ammonium cation of cloquintocet, cloquintocet-mexyl, mefenpyr, an alkali, alkaline earth, sulfonium or ammonium cation of mefenpyr and mefenpyrdiethyl.

3. (Original) Composition according to claim 1, which contains an additive comprising an oil of vegetable or animal origin, a mineral oil, the alkylesters thereof or mixtures of these oils and oil derivatives.
4. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 1.
5. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 2.
6. (Original) A method of selectively controlling weeds and grasses in crops of cultivated plants, which comprises treating said cultivated plants, the seeds or seedlings or the crop area thereof, with a composition according to claim 3.
7. (Original) A method according to claim 4 wherein the cultivated plant is cereal or maize.
8. (Currently Amended) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from clodinafop-p-propargyl and ~~fenoxaprop-ethyl~~ fenoxaprop-P-ethyl.
9. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is tralkoxydim.
10. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from triasulfuron, amidosulfuron, tribenuron, idosulfuron, thifensulfuron-methyl, metsulfuron, flupyr-sulfuron, and sulfosulfuron.
11. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from mecoprop, fluroxypyr, MCPA, 2,4-D ester, and 2,4-D amine.
12. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from triallate and prosulfocarb.

13. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is dicamba.
14. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from diflufenican and picolinafen.
15. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from bromoxynil and ioxynil.
16. (Previously Presented) A composition according to claim 1 wherein the at least one herbicide in (b) is selected from flucarbazone, florasulam, propoxycarbazone, and metosulam.
17. (Previously Presented) A composition according to claim 1, wherein the at least one herbicide in (b) is selected from pendimethalin and trifluralin.